



Payment Module Pagadito for Magento

plg_magento_2.0.2

August 2018

In all communication with Pagadito about this document, please refer to the date located at cover.

Copyright

Usage, divulgation, reproduction, modification, transfer or transmission of this document; for any purpose, in any way, without written consent of Pagadito, it is prohibited.

©Copyright 2018 Pagadito, S. de R.L. All rights are reserved.

Pagadito and Pagadito's Logo are registered marks of Pagadito S. de R.L. All marks are property of their respective owners.

License.

Payment Module for Magento plg_magento_2.0.2

Copyright © 2018 – Pagadito S. de R.L.

This Software is free: You can distribute it and/or modify it under the terms of GNU Lesser General Public License, as is published by the Free Software Foundation, either version 3 or any other superior version.

This software is distributed in the spirit to be useful, but WITHOUT ANY GUARANTEE: without implicit guarantee of MERCHANTABILITY or ADAPTABILITY FOR ANY PARTICULAR USE. See GNU LGPL License for more details.

If you want a copy of the GNU LGPL License, you can visit <http://www.gnu.org/licenses/>



Important Information

Pagadito Plugin

All of the developments using the Plugin of Pagadito is based on the Pagadito Technology Agreement. The following are the key requirements for this agreement. For more information, please refer to the Pagadito Technology Agreements.

Countries allowed

This document can only be used at countries where Pagadito S. de R.L. has operations.

Use

Any application will not be able to be developed or modified in a way that allows the distribution to third parties of the information received through the API, Web Service, Plug In or any other piece of software released by Pagadito, which are not the people who have a legal right to this information and purposes different to the expressed at the Pagadito Merchant registration.

Technical Requirements

To use this plugin, you will have to accomplish the following requirements:

- ✓ Valid and active Account at Pagadito Merchants or Pagadito SandBox.
- ✓ Functional installation of Magento.
 - 2.2.3
 - 2.2.4
 - 2.2.5
- ✓ Protocol TLS v.1.2 or higher.
- ✓ PHP Library cURL v.7.34.0 or higher.
- ✓ PHP Library OpenSSL v.1.0.1 or higher.


This guide assumes that

- You have an own website under Magento.
- You have acknowledgement in website management.
- You have access to the management options of the website.

Installation

Manual.


- Uncompress file “plg_magento_2.0.2.zip”
- Copy its content to the folder: {Root of magento}/app/code/



- In terminal (Linux) or CMD (Windows) make the following actions:
 - o Go to installation folder of Magento
 - o Run the following commands:
 - > php bin/magento module:enable Pagadito_MPGC
 - > php bin/magento setup:di:compile
 - > php bin/magento setup:upgrade

Configuration

To access to configurations of the module, you have to go back to the administrator of Magento, **Store->Configuration, Sales, Payment Methods** and list **Pagadito** configuration.



The screenshot shows the Magento configuration interface for the Pagadito module. The sidebar on the left contains navigation icons for Dashboard, Sales, Catalog, Customers, Marketing, Content, Reports, Stores, System, and Find Partners & Extensions. The main configuration area is titled 'Configuration' and includes the Pagadito logo. The configuration fields are as follows:

- Enabled** (enabled): Yes
- Tax title** (store view): Taxes
- Currency** (store view): Moneda Base de Magento (Recomendado)
- Sandbox mode** (store view): No
- Production UID** (store view): [Empty field]
- Production WSK** (store view): [Empty field]
- Sandbox UID** (store view): [Empty field]
- Sandbox WSK** (store view): [Empty field]

A 'Save Config' button is located in the top right corner of the configuration area.

Now the configuration fields are described:

Enabled: Enable and disable payments with Pagadito.

Tax title: When order has taxes, this is the title of the detail that will be sent to Pagadito.

Sandbox Mode: For your convenience, you can activate or deactivate SandBox mode. Remember to configure your credentials for Live and SandBox mode.

Production UID Y Production WSK: Connection credentials of Pagadito (you can find this credentials in your Pagadito Merchant Account).

Sandbox UID y Sandbox WSK: Connection credentials of SandBox (you can find this credentials in your SandBox Merchant Account).

Once configuration is complete, do not forget to save changes.

Credentials and Return URL

You can find this information in your Pagadito Merchant Account (Live or Sandbox) when you are logged in at section **Technical Configuration -> Integration Parameters -> Connection Credentials**.

URL de Retorno

Ingrese aquí la dirección URL adonde desea que Pagadito envíe a su cliente una vez halla realizado el pago en nuestra plataforma.

URL

Formatos validos:

`http://www.mistio.com/pagina.php?parametro1={value}¶metro2={ern_value}`
`http://www.mistio.com/pagina.php/parametro1/{value}/parametro2/{ern_value}`

En este caso el token es el parámetro >> {value} << y el número de comprobante es el parámetro >> {ern_value} <<
(Nota: Se deben usar las llaves)

[Cambiar URL](#)

Credenciales de Conexión

Estas son las credenciales con las cuales su plataforma deberá autenticarse con Pagadito para solicitar el cobro a un cliente.

Evite cambiar estos valores a menos que que esté seguro de desear hacerlo, ya que su accion es inmediata y no puede ser restaurada a un estado anterior.

UID

6b9d5ac84ca4fe7eb99df2bdaf332e4f

WSK

deb4290e4440348544e7644badc1e628

[Cambiar Credenciales](#)

First, you have to configure your return URL. this has to appear like the following way:

`http://www.mitienda.com/pagadito/payment/complete?p={value}`

Change only “www.mitienda.com” by your URL and leave the rest. Sometimes Magento does not work correctly when using subdomains like “www”, verify your configurations if it is used or not, because this may cause issues when returning from Pagadito.

You can copy and paste UID and WSK credentials at Pagadito configurations. Be sure you do not copy spaces.

Credenciales de Conexión

Estas son las credenciales con las cuales su plataforma deberá autenticarse con Pagadito para solicitar el cobro a un cliente.

Evite cambiar estos valores a menos que que esté seguro de desear hacerlo, ya que su accion es inmediata y no puede ser restaurada a un estado anterior.

UID

WSK

[Cambiar Credenciales](#)