



Plugin Pagadito for Opencart

pagadito-v.2.3.0

July 2017

developers@pagadito.com

In all communication with Pagadito about this document, please refer to the date located at cover.

Copyright.

Usage, divulgation, reproduction, modification, transfer or transmission of this document; for any purpose, in any way, without written consent of Pagadito, it is prohibited.

©Copyright 2017 Pagadito, S. de R.L. All rights are reserved.

Pagadito and Pagadito's Logo are registered marks of Pagadito S. de R.L. All marks are property of their respective owners.

License

Pagadito Plugin for OpenCart

Copyright © 2017 – Pagadito S. de R.L.

This Software is free: You can distribute it and/or modify it under the terms of GNU Lesser General Public License, as is published by the Free Software Foundation, either version 3 or any other superior version.

This software is distributed in the spirit to be useful, but WITHOUT ANY GUARANTEE: without implicit guarantee of MERCHANTABILITY or ADAPTABILITY FOR ANY PARTICULAR USE. See GNU LGPL License for more details.

If you want a copy of the GNU LGPL License, you can visit <http://www.gnu.org/licenses/>



Important Information

Pagadito Plugin

All of the developments using the Plugin of Pagadito is based on the Pagadito Technology Agreement. The following are the key requirements for this agreement. For more information, please refer to the Pagadito Technology Agreements.

Countries allowed

This document can only be used at countries where Pagadito S. de R.L. has operations.

Use

Any application will not be able to be developed or modified in a way that allows the distribution to third parties of the information received through the API, Web Service, Plug In or any other

piece of software released by Pagadito, which are not the people who have a legal right to this information and purposes different to the expressed at the Pagadito Merchant registration.

Technical Requirements

To use this plugin, you will have to accomplish the following requirements:

- ✓ Valid and active Account at [Pagadito Merchants](#) or [Pagadito Merchants at SandBox](#)
- ✓ Functional installation of OpenCart 2.0+.
- ✓ Protocol TLS v.1.2 or higher.
- ✓ PHP Library cURL v.7.34.0 or higher.
- ✓ PHP Library OpenSSL v.1.0.1 or higher.

Download

You can download our PluginPagadito for processing payments with OpenCart 2.0+ and other technologies at this URL:

<https://dev.pagadito.com/>

Requirements for using Plugin

- To have an own website working with OpenCart v2.0+
- To have acknowledgement in website management with OpenCart.
- To have access to the management options of the website with OpenCart.

Installation

1. Uncompress downloaded plugin.
2. Copy files and folders to folder “**upload/**” at Opencart root in your server.
3. Enter to the administration panel of your Opencart.

By default, you enter through the URL of your website. In example: www.misitioweb.com/admin/

A screenshot of the Opencart administration login page. At the top, it says "Please enter your login details." Below this are two input fields: "Username" with a person icon and "Password" with a lock icon. A blue link "Forgotten Password" is located below the password field. A blue "Login" button with a magnifying glass icon is at the bottom right.

4. When enter to the administrator, go to menu **Extensions-> Extensions** and filter extensions by type **Payments**

Choose the extension type

A screenshot of the Opencart extension filter interface. It shows a search bar containing the text "Payments (47)". To the right of the search bar is a dropdown arrow and a "Filter" button with a downward arrow icon.

5. In the list of plugins, locate **Pagadito** and click on Install (**green button**)



6. From menu **System > User Group**, be sure to assign the right permissions to the group that will have access to the extension. In example: administrators

A screenshot of the 'Edit User Group' configuration page. The 'User Group Name' field is set to 'Administrator'. Under 'Access Permission' and 'Modify Permission', there are lists of permissions with checkboxes. The 'payment/pagadito' permission is checked in both sections and highlighted with a red arrow. Other permissions include 'marketing/coupon', 'marketing/marketing', 'report/affiliate', and 'report/affiliate_activity'. There are 'Select All / Unselect All' links below each list.

Configuration

7. Once the plugin is installed, click on **Edit**



8. Now a page will appear, where you have to complete information according to your needs and your Pagadito Account. When finish, save changes, clicking on **Save**. Now, requested fields are listed.

* UID	<input type="text"/>
* WSK	<input type="text"/>
* Sandbox Mode	<input checked="" type="radio"/> Yes <input type="radio"/> No
Total	<input type="text" value="1"/>
* Payment Status	<input type="text" value="Enabled"/>
<p>RETURN TO SHOP Configure the status of orders when Pagadito returns one of the following status:</p>	
* REGISTERED	<input type="text" value="Processing"/>
* CANCELED	<input type="text" value="Canceled"/>
* FAILED	<input type="text" value="Failed"/>
* COMPLETED	<input type="text" value="Complete"/>


Campo	Descripción
UID	User ID of Pagadito Merchant Account.
WSK	Connection key for werbservice of Pagadito.
Sandbox Mode	Allows to activate or deactivate connection to Sandbox, a testing environment.
Total	Total order has to reach this amount, before this payment module is enabled. The minimum amount to process payments with Pagadito is \$1.00
Payment Status	Indicates the status of the payment method, which may be Active or Inactive.
Return to Shop	Configure the statuses which you want to handle orders when Pagadito returns the following statuses:
	REGISTERED Transaction has been registered and is not complete yet.
	CANCELED Transaction has been canceled by user and is not complete.
	FAILED Transaction failed.

	COMPLETED Transaction is complete successfully.
--	--

When plugin is configured, you will see it working at our website when user confirms payment.

Step 5: Payment Method ▾

Please select the preferred payment method to use on this order.

Pagadito 

Add Comments About Your Order

I have read and agree to the [Terms & Conditions](#)


[Continue](#)

NOTE:

It is necessary to make tests in SandBox (testing environment) before to activate the live mode. For each mode, UID and WSK are different and have to be changed manually. For this you need a Merchant Account for each environment.

Credentials and Return URL

You can find this information in our Pagadito Merchant Account (Live or Sandbox) when you are logged in at section **Technical Configuration -> Integration Parameters**.



You will find connection credentials.

Credenciales de Conexión

Estas son las credenciales con las cuales su plataforma deberá autenticarse con Pagadito para solicitar el cobro a un cliente.

Evite cambiar estos valores a menos que esté seguro de desear hacerlo, ya que su acción es irreversible y no puede ser restaurada a un estado anterior.

UID
WSK

4e7a28593b...
8faaf11...

[Cambiar Credenciales](#)

You can copy and paste UID and WSK credentials at Pagadito configurations. **Be sure you do not copy spaces.**

At this section you also have to configure the Return URL. This will allow your customer to return to your website once payment is complete at Pagadito.

Return URL

Enter here the URL address you wish to send your client to once the payment has been completed in our platform.

URL

Valid formats:

http://www.mywebsite.com/page.php?param1={value}¶m2={ern_value}
http://www.mywebsite.com/page.php/param1/{value}/param2/{ern_value}
In this case, the token is the parameter >> {value} << and the receipt number is the parameter >> {ern_value} <<
(Note: You must use the keys)

[Change URL](#)

<http://www.mitienda.com/index.php?route=extension/payment/pagadito/callback&token={value}>

URL you have to configure:

Change only "**http://www.mitienda.com**" by your URL and leave the rest.

In any doubt, please contact our Developers Team at email developers@pagadito.com or by phone at +503 2264-7032