



## Plugin Pagadito for Paid Memberships Pro

`pmpo-pagadito-payment-gateway-plugin-v1.0`

Febrero 2018

[developers@pagadito.com](mailto:developers@pagadito.com)

In all communication with Pagadito about this document, please refer to the date located at cover.

**Copyright.**

Usage, divulgation, reproduction, modification, transfer or transmission of this document; for any purpose, in any way, without written consent of Pagadito, it is prohibited.

©Copyright 2018 Pagadito, S. de R.L. All rights are reserved.

Pagadito and Pagadito's Logo are registered marks of Pagadito S. de R.L. All marks are property of their respective owners.

## License

### **Pagadito Plugin for Paid MemberShips Pro with Wordpress**

Copyright © 2018 – Pagadito S. de R.L.

This Software is free: You can distribute it and/or modify it under the terms of GNU Lesser General Public License, as is published by the Free Software Foundation, either version 3 or any other superior version.

This software is distributed in the spirit to be useful, but WITHOUT ANY GUARANTEE: without implicit guarantee of MERCHANTABILITY or ADAPTABILITY FOR ANY PARTICULAR USE. See GNU LGPL License for more details.

If you want a copy of the GNU LGPL License, you can visit <http://www.gnu.org/licenses/>



## Important Information

### **Pagadito Plugin**

All of the developments using the Plugin of Pagadito is based on the Pagadito Technology Agreement. The following are the key requirements for this agreement. For more information, please refer to the Pagadito Technology Agreements.

### **Countries allowed**

This document can only be used at countries where Pagadito S. de R.L. has operations.

### **Use**

Any application will not be able to be developed or modified in a way that allows the distribution to third parties of the information received through the API, Web Service, Plug In or any other piece of software released by Pagadito, which are not the people who have a legal right to this information and purposes different to the expressed at the Pagadito Merchant registration.

## Technical Requirements

To use this plugin, you will have to accomplish the following requirements:

- ✓ Valid and active Account at [Pagadito Merchants](#) o [Pagadito Merchants at Sandbox](#).
- ✓ Functional installation of WordPress v4.9.3
- ✓ Functional installation of Paid Memberships Pro v1.9.4.3
- ✓ Protocol TLS v.1.2 or higher.
- ✓ PHP Library cURL v.7.34.0 or higher.
- ✓ PHP Library OpenSSL v.1.0.1 or higher.

## Download

You can download our Plugin Pagadito for processing payments with Paid Memberships Pro and other technologies at this URL:

<http://dev.pagadito.com/>

## Requirements for using Plugin


- ✓ To have an own website working with Wordpress and Paid Memberships Pro.
- ✓ To have acknowledgement in website management.
- ✓ To have access to the management options of the website.

## Features of Paid Memberships Pro not supported by Plugin


- ✓ Infinite payment periods for memberships with scheduled charges.
- ✓ Customized trial periods for memberships with scheduled charges.

## Installation


1. The download contains the following files:
  - pmprogateway\_pagadito/
    - o **buttons/**
      - pg-boton-pagar.jpg
    - o **class.pmprogateway\_pagadito.php**
    - o **Pagadito.php**
2. Enter to the administrator of your Wordpress.  
By default you enter through the URL of your website:  
**www.misitioweb.com/wp-admin/**(change “**misitioweb**” for your URL)



3. Now click on **Plugins** -> **Add New** -> **Upload Plugin**, choose downloaded file and then click on **Install Now**



4. Now plugin is installed. Then you have to activate it, click on **Activate Plugin**



## Configuration.

5. Once plugin is installed in Wordpress, you have to configure the payment Gateway on Paid Memberships Pro. Go to: **Memberships -> Payment Settings**

The screenshot shows the 'Payment Gateway & SSL Settings' page for the Paid Memberships Pro plugin. The page is divided into several sections:

- Payment Gateway & SSL Settings:** Includes a navigation bar with tabs for Membership Levels, Pages, Payment Gateway & SSL (active), Email, Advanced, and Add Ons. A notification suggests upgrading to PHP 5.6 or greater.
- Choose a Gateway:** A dropdown menu is set to 'Pagadito'.
- Gateway Environment:** A dropdown menu is set to 'Live/Production'.
- Configuraciones Pagadito:**
  - UID:** 6aab1270668d8cac7cef2566a1c5f569
  - WSK:** 93f3f676d674a07654d592031d69a8bb
  - URL de retorno:** Esta es su url de retorno para referencia. Usted debe setear esta url de retorno en su configuración técnica en su cuenta Pagadito. `http://localhost/demo-wordpress-2/wp-admin/admin-ajax.php?action=pggetstatus&token={value}&order={ern_value}`
  - URL de webhooks:** Para una integración completa con Pagadito, asegurate de tener habilitado el envío de notificaciones vía webhook y usar la siguiente URL de webhook en la sección de webhooks en su cuenta Pagadito. `http://localhost/demo-wordpress-2/wp-admin/admin-ajax.php?action=pgwebhookListener`
- Currency and Tax Settings:**
  - Currency:** Guatemalan Quetzal (Q). Note: Not all currencies will be supported by every gateway. Please check with your gateway.
  - Sales Tax (optional):** Tax State: (abbreviation, e.g. "PA") Tax Rate: (decimal, e.g. "0.06"). US only. If values are given, tax will be applied for any members ordering from the selected state. For non-US or more complex tax rules, use the [umero-tax filter](#).
- SSL Settings:**
  - Force SSL:** No. Recommended: Yes. Try the JavaScript redirects setting if you are having issues with infinite redirect loops.
  - SSL Seal Code:** A text input field for the SSL Seal Code. Note: Your [SSL Certificate](#) must be installed by your web host. Your [SSL Seal](#) will be a short HTML or JavaScript snippet that can be pasted here.
- Extra HTTPS URL Filter:**  Pass all generated HTML through a URL filter to add HTTPS to URLs used on secure pages. Check this if you are using SSL and have warnings on your checkout pages.

A 'Save Settings' button is located at the bottom left of the page.

6. At this page, complete information according to your Pagadito Account. When finish, save changes clicking on **Save Settings**.

Now the used fields are explained:

**- Choose a Gateway -**

**Payment Gateway** Allows to select the Payment Gateway to use. In this case you have to select Pagadito.

**Gateway Environment** Allows to change the environment that the Payment Gateway will work with. It may be Sandbox/Testing and y Live/Production.

**- Configuraciones Pagadito -**

**UID** User ID of Pagadito Merchant Account.

**WSK** Connection key for werbservice of Pagadito.

**URL de retorno** Indicates the return URL you have to configure in you Pagadito Merchant Account.

**URL de webhooks** Indicates the webhook listener URL you have to configure in your Pagadito Merchant Account.

**- Currency and Tax Settings -**

**Currency** Allows to select the currency of the transactions. The currencies supported by Pagadito are the following: US Dollars (\$), Guatemalan Quetzal (Q), Honduran Lempira (L), Nicaraguan Córdoba (C\$), Costa Rican Colón (₡), Panamanian balboa (B/.), Dominican peso (\$) .



**NOTE:**

We recommend to make testing in **SandBox Mode**(testing mode) before you active the Live Mode at Pagadito. For each mode, the UID and WSK have to be changed. For this you need a Pagadito Account for each one.

When Plugin is configured, you will be able to see it working in your website when user is confirming order.

---

## Account Information Already have an account? [Log in here](#)

**Username**

 \*

**Password**

 \*

**Confirm Password**

 \*

**E-mail Address**

 \*

**Confirm E-mail Address**

 \*

## Credentials, Return URL and Webhooks.

You can find this information in our Pagadito Merchant Account (Live or Sandbox) when you are logged in at section **Technical Configuration -> Integration Parameters ->Connection Credentials**.

You can copy and paste UID and WSK credentials in Pagadito configurations.

### Credenciales de Conexión

---

Estas son las credenciales con las cuales su plataforma deberá autenticarse con Pagadito para solicitar el cobro a un cliente.

Evite cambiar estos valores a menos que esté seguro de desear hacerlo, ya que su acción es inmediata y no puede ser restaurada a un estado anterior.

UID	128e5574ff0ae5d46166dc772765c053
WSK	2f02ffae7f7f9c429df496b84ea99aa9

Cambiar Credenciales

Configure **Return URL** in the following way:

Change only “**http://www.mitienda.com**” by your URL and leave the rest.

In example.

**http://www.mitienda.com/wp-admin/admin-ajax.php?action=pggetstatus&token={value}&order={ern\_value}**

### URL de Retorno

---

Ingrese aquí la dirección URL adonde desea que Pagadito envíe a su cliente una vez haya realizado el pago en nuestra plataforma.

URL

Formatos validos:

http://www.misitio.com/pagina.php?parametro1={value}&parametro2={ern\_value}

http://www.misitio.com/pagina.php/parametro1/{value}/parametro2/{ern\_value}

En este caso el token es el parámetro >> {value} << y el número de comprobante es el parámetro >> {ern\_value} <<

(Nota: Se deben usar las llaves)

Cambiar URL

## Enable Webhooks

Webhooks are processes that make updates of the status in an asynchronous way. It is not necessary user return to the merchant's website to finish order. To enable it go to Technical Configuration -> Webhooks, enable the mark and enter the listener URL. These are some examples of the listener URL. First , in case you use friendly URLs and second, in case they are not available (change "<http://www.mitienda.com>" for your website's URL):

<http://www.mitienda.com/wp-admin/admin-ajax.php?action=pgwebhooklistener>

### Webhooks

---

Los Webhooks permiten que Pagadito notifique a su Comercio en una URL, los eventos de cambios de estado de las transacciones de pago, que realice con su comercio. Puede encontrar toda la información necesaria de cómo funcionan, para qué sirven y cómo integrarlos en nuestra Guía General de Webhooks.

#### Configuración de Webhooks

---

Habilitar el envío de notificaciones vía Webhooks.

Por favor asegúrese de haber ingresado la URL correcta, para recibir Webhooks cuando se producen los eventos de cambio de estado de las transacciones de su cuenta. Debe mantener la URL actualizada y ser responsable de la seguridad de la data transmitida vía Webhooks.

Webhook URL:

**Guardar**

Cancelar

Webhooks do not require additional configurations in your website.

**In any doubt, please contact our Developers Team at email [developers@pagadito.com](mailto:developers@pagadito.com) or by phone at +503 2264-7032**